

ARHGEF2 (P881) polyclonal antibody

Catalog: BCP00231 Host: Rabbit Reactivity: Human, Mouse, Rat

BackGround:

GEFs catalyze the release of GDP from inactive Ras proteins to ena-ble GTP binding. Lfc (also designated Rho/Rac guanine nucleotide exchange factor 2, lymphoid blast crisis-like 1, ARHGEF2, GEF-H1, KIAA0651 or LFP40) is an 894 amino acid GEF for Rho A, a member of the Ras family that regulates the Actin cytoskeleton during the formation of stress fibers. Lfc directly interacts with Cingulin, a junctional adapter that inhibits Rho A, thus preventing phorbol-12-myristate-13-acetate-induced contraction and apoptosis. Mutations in the p53 gene transcriptionally activate Lfc, thereby increasing tumor cell proliferation.

Product:

Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2

Molecular Weight:

~ 110 kDa

Swiss-Prot:

Q92974

Purification&Purity:

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).

Applications:

WB: 1:500~1:1000

IHC: 1:50~1:200


Storage&Stability:

Store at $4\,\mathrm{C}$ short term. Aliquot and store at $-20\,\mathrm{C}$ long term. Avoid freeze-thaw cycles.

Specificity:

ARHGEF2 (P881) polyclonal antibody detects endogenous levels of ARHGEF2 protein.

DATA:



Western blot (WB) analysis of ARHGEF2 (P881) pAb at 1:500 dilution

Lane1:PMVEC whole cell lysate(40ug)

Lane2:AML-12 whole cell lysate(40ug)

Lane3:MCF-7 whole cell lysate(40ug)

Lane4:A549 whole cell lysate(40ug)

Lane5:HuT78 whole cell lysate(20ug)

Note:

For research use only, not for use in diagnostic procedure.