# 

## **CD155 polyclonal antibody**

Catalog: BCP00393

Host: Rabbit

R

Reactivity: Human, Mouse

## **BackGround:**

Poliovirus receptor (PVR, CD155) is an immunoglobulin-like, transmembrane glycoprotein originally described as a mediator of poliovirus attachment to cells and later identified as important in adherens junction formation. Also known as nectin-like 5 (Necl-5), PVR binds nectin-3 and interacts with integrin  $\alpha\nu\beta$ 3 and PDGFR to regulate integrin clustering and focal contact formation at the leading edge of migrating cells. Research studies demonstrate that PVR and nectin-3 regulate contact inhibition during cell motility and proliferation in transformed 3T3 cells. Additional research indicates that PVR (CD155, Necl-5) expression may play a role in invasiveness of lung adenocarcinoma. In the immune system, CD155 plays a role in natural killer (NK) cell-mediated cytotoxicity.

**Product:** 

Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2.

**Molecular Weight:** 

~ 70 kDa

**Swiss-Prot:** 

P15151

**Purification&Purity:** 

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).

## **Applications:**

WB: 1:5000~1:10000

**Storage&Stability:** 

Store at  $4 \,^{\circ}{\rm C}$  short term. Aliquot and store at  $-20 \,^{\circ}{\rm C}$  long term. Avoid freeze-thaw cycles.

#### **Specificity:**

CD155 polyclonal antibody detects endogenous levels of CD155 protein.

### **DATA:**



Western blot (WB) analysis of CD155 polyclonal antibody at 1:10000 dilution

Lane1:CT-26 whole cell lysate(30ug)

Lane2:HepG2 whole cell lysate(10ug)

Lane3:A549 whole cell lysate(10ug)

#### Note:

For research use only, not for use in diagnostic procedure.