GAP43 (phospho-S41) polyclonal antibody

Catalog: BCP00807

Host:

Rabbit

Reactivity: Human, Mouse, Rat

BackGround:

GAP-43 (growth associated protein 43, B-50, PP46, calmodulin-binding protein P-57, neuromodulin, neuron growth-associated protein 43, protein F1 is a crucial component for regenerative response in the nervous system. It is present at high levels in neuronal growth cones during development and axonal regeneration. GAP-43 is normally produced by neurons during developmental growth and axonal regeneration, but it is also expressed in specific regions of the normal adult nervous system. The neuron-specific Elav/Hu family member, HuD, interacts with and stabilizes GAP-43 mRNA in developing neurons and leads to increased levels of GAP-43 protein.

Product:

Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2

Molecular Weight:

~ 25, 48 kDa

Swiss-Prot:

P17677

Purification&Purity:

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).

Applications:

WB: 1:500~1:1000

IHC: 1:50~1:200

IF: 1:50~1:200

Storage&Stability:


Store at $4 \,^{\circ}{\rm C}$ short term. Aliquot and store at $-20 \,^{\circ}{\rm C}$ long term. Avoid freeze-thaw cycles.

Specificity:

p-GAP-43 (S41) polyclonal antibody detects endogenous


levels of GAP-43 protein only when phosphorylated at Ser41.

DATA:



Western blot (WB) analysis of p-GAP-43 (S41) polyclonal antibody at 1:500 dilution

Lane1:Hela cell lysate treated with PMA(100nM,30mins) Lane2:Raw264.7 cell lysate treated with PMA(100nM,30mins) Lane3:PC12 cell lysate treated with PMA(100nM,30mins)



Immunohistochemistry (IHC) analyzes of p-GAP43 (S41) pAb in paraffin-embedded human breast carcinoma tissue at 1:50.showing cell membrane staining. Negative control (the right)Using PBS instead of primary antibody, secondary antibody is Goat Anti-Rabbit IgG-biotin followed by avidin-peroxidase.

Note:

For research use only, not for use in diagnostic procedure.