

Matriptase (K21) polyclonal antibody

Catalog: BCP01066 Host: Rabbit Reactivity: Human, Mouse, Rat

BackGround:

Matriptase (also known as MT-SP1, ST14, prostamin and epithin in mouse) is a tumor-associated type II transmembrane serine protease that is highly expressed in many human cancer-derived cell lines and is implicated in extracellular matrix re-modeling, tumor growth, and metastasis. Matriptase performs pleiotropic functions in the development of the epidermis, hair follicles, and cellular immune system. Sphingosine 1-phosphate (S1P, SPP), present in serum-derived lipoproteins, activates matriptase while matriptase activates both urokinase-type plasminogen activator and hepatocyte growth factor (HGF). Hepatocyte growth factor activator inhibitor type 1 (HAI-1) is a Kunitz-type serine protease inhibitor identified as a strong inhibitor of matriptase and HGF.

Product:

Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2

Molecular Weight:

~ 90 kDa

Swiss-Prot:

Q9Y5Y6

Purification&Purity:

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).

Applications:

WB: 1:500~1:1000 IHC/IF: 1:50~1:200 IP: 1:10~1:100


Storage&Stability:

Store at $4\,\mathrm{C}$ short term. Aliquot and store at $-20\,\mathrm{C}$ long term. Avoid freeze-thaw cycles.

Specificity:

Matriptase (K21) polyclonal antibody detects endogenous levels of Matriptase protein.

DATA:




Western blot (WB) analysis of Matriptase (K21) pAb at 1:500 dilution

Lane1:C6 whole cell lysate(40ug)

Lane2:CT26 whole cell lysate(40ug)

Lane3:HCT116 whole cell lysate(40ug)

Lane4:PC3 whole cell lysate(40ug)



 $Immunoprecipitation \ of \ HEK293T \ cell \ lysate using \ Matriptase (K21)$ $pAb \ (Sepharose \ Bead \ Conjugate) \ \#BD0048 (lane \ 2 \ and \ lane \ 3) \ . Lane \ 1$ $is \ 30\% \ input. \ The \ western \ blot \ was \ probed \ using \ Matriptase \ (K21) \ .$

"↑" (supernatant); "↓(deposition)

Note:

For research use only, not for use in diagnostic procedure.