## 

## **Complex Biotech Co., Ltd**

# **CD357 Recombinant Protein**

	Catalog:	BCP3438
--	----------	---------

Host: E.coli

His-tag

### **BackGround:**

TNFRSF18, also known as glucocorticoid-induced tumor necrosis factor-receptor (TNFR)-related protein (GITR) and activation-inducible TNFR family receptor, encodes a type 1 membrane protein of the TNF-receptor superfamily. Three alternatively spliced transcript variants encoding distinct isoforms have been reported. GITR is an immune cell co-stimulatory receptor expressed constitutively at high levels on CD4+CD25+ T regulatory cells (Tregs), at low levels on na we and memory T cells, and is induced upon T cell activation. Studies show GITR can also be induced on NK cells, macrophages, and DCs. Although GITR does not have intrinsic enzymatic activity, TNFSF18 (also known as GITRL) expressed on antigen presenting cells binds to GITR, resulting in recruitment of TNFR-associated factor family members and activation of the NF-KB pathway in T cells. GITR ligation has been shown to play a role in CD8+ T cell activation, cytotoxicity, and memory T cell survival. In the thymus, GITR is thought to play a key role in dominant immunological self-tolerance through thymic Treg differentiation and expansion. Of note, GITR ligation inhibits Treg suppressive function and promotes effector T cell resistance to Treg suppression. Due to the combined effects on both Treg suppression and effector cell activation, GITR represents a unique opportunity for immunotherapeutic intervention in cancer.

#### **Product:**

PBS, 4M Urea, PH7.4 Molecular Weight:

#### ~22kDa

**Swiss-Prot:** 

Q9Y5U5

#### **Purification&Purity:**

Tag:

Transferred into competent cells and the supernatant was purified by NI column affinity chromatography and the purity is > 85% (by SDS-PAGE).

### **Restriction Sites:**

NdeI-XhoI

**Storage&Stability:** 

Store at  $4 \,^{\circ}{\rm C}$  short term. Aliquot and store at  $-20 \,^{\circ}{\rm C}$  long term. Avoid freeze-thaw cycles.

#### **Expression Vector:**

pet-22b(+)

#### **DATA:**

KDa	M	S
116		
66.2	-	
45	-	
35	-	
25	-	-
18.4		
14.4	-	

#### Note:

For research use only, not for use in diagnostic procedure.